POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS		
Total 2001 Population 2,020,320 Population per square mile . County ranking in state (1-72) . Age Female Male Total	Community Options and MA Waiver Programs Clients COP 2,388 \$9,487,473 MA Waiver *	Per 10,000 Staffing - FTE Number Population Total staff 610 3.9 Administrative 67 0.4 Professional staff 347 2.3 Technical/Paraprof. 65 0.6 Support staff 132 0.9		
0-14	CIP1A	Technical/Paraprof. 65 0.6 Support staff 132 0.9		
25-29	MA Waiver * CIP1A	Funding		
45-54	 \$13,683,241 of the above waiver costs	LICENSED ESTABLISHMENTS		
65-74	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 289 85 Camps 4,215 62 Hotels, Motels 22,516 355		
Age	<pre>* Waiver costs reported here include federal funding.</pre>	l Restaurants 5.826 I		
18-44	Clients Costs Eligible and Waiting 3,162 n/a			
Ì	(Family Care data not available)	WIC PARTICIPANTS		
Poverty Estimates for 2000 Estimate (C.I.+/-) All ages 198,810 not Ages 0-17 76,954 available	 Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. 	Number		
EMPLOYMENT		CANCER INCIDENCE		
Note: based on place of work	Home Health Agencies 33 Patients 32,778 Patients per 10,000 pop. 162	 1999 Primary Site Number Breast 1,797		
Labor Force Estimates	Nursing Homes 107 Licensed beds 14,252 Occupancy rate 83.4%	Breast 1,797 Cervical 204 Colorectal 1,181 Trachea, Bronchus, Lung 1,263		
Number employed 1,032,058 Number unemployed 52,067 Unemployment rate 4.8%	Nursing Homes 107 Licensed beds 14,252 Occupancy rate 83.4% Residents on Dec.31 11,854 Residents age 65 or older per 1,000 population 43	Prostate		

			NATA	LITY				
TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat Live births with repo	te	14 0	Birth Order First	Births 10,881 9,104 4.729	Percent 39 32 17	Marital Status of Mother Married Not married Unknown	Births 17,797 10,452 0	Percent 63 37 0
congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	286 Births Pe 567 546 21,911 3 304	rcent	First Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown Number of Prenatal	Births 23,634 3,505 739 315 56	Percent 84 12 3 1 <.5	Education of Mother Elementary or les Some high school High school Some college College graduate Unknown Smoking Status	4,675 8,107 5,960 8,355 70	Percent 4 17 29 21 30 <.5
	Rirths Pe	1.5 6.1 92.4 <.5	Unknown	314 828 4,276 12,039 10,657 135	38 <.5	of Mother Smoker Nonsmoker Unknown	3.896	14
Race of Mother White Black Other Unknown			Low Birthweight (under 2,500 gm) Births Percent 1,294 6.1 764 13.2 89 7.2	4	Trimest imester Percent 88 69 79 86	er of First Prenatal	Visit Other/ Births 570 504 36	'Unknown Percent 3 9 3
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Ferti Births Ra 61 1,162 2,049 6,451 1 7,275 1 7,231 3,384 636	lity	(under 2,500 gm) Births Percent 6 9.8 129 11.1	1st Tr Births 29 691 1,411 4,968 6,321 6,590 3,052 572	Trimest imester Percent 48 59 69 77 87 91 90 90	er of First Prenatal 2nd Trimester Births Percent 21 34 357 31 471 23 1,140 18	Visit Other/ Births 11	Unknown Percent 18 10 8 5 3 2 2 3
Teenage Births	3,272	45	* Not	reported	: age or r	ace category has les	s than 5	births

MORBIDITY			MOR	TALITY		
 REPORTED* CASES OF SELECTED DISEASES	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.					
	fetal deaths. Rates are not calculated for fewer than 20 deaths.					
Disease Number Campylobacter Enteritis 225	TOTAL DEATHS Crude Death Rate		17,151 848	Selected Underlying Cause	Deaths	i Rate i
Campylobacter Enteritis 225 Giardiasis 190 Hepatitis Type A 46 Hepatitis Type B** 205 Hepatitis NANB/C 1,126 Legionnaire's 19 Lyme 14			B. I	Heart Disease (total) Ischemic heart diseas	e 3,329	235 165
Hepatitis NANB/C 1,126	Age 1-4	Deaths 33	Rate 24	Cancer (total) Trachea/Bronchus/Lung	1,044	195 52 20
Lyme 14	15-19	104	70	Colorectal Female Breast Cerebrovascular Diseas	306	30* 64
Lyme	20-34 35-54 55-64	1,713 1,562	282 940	Cerebrovascular biseas Lower Resp. Disease Pneumonia & Influenza	866 450	43 22
Mumps 0 Pertussis 65		2,915 5.008	2,271 5.526	Accidents Motor vehicle	730	36 10
Salmonellosis 258 Shigellosis 224	i 85+ I	5,229	15,855	Diabetes Infectious & Parasitic	485 301	24 j 15 j
	 Infant			Suicide	228	11
<pre> * 2001 provisional data ** Includes all positive HBsAg test results</pre>	Mortality Total Infant Neonatal	225 144	Rate 8.0 5.1	* Rate for female brea on female popula		pased
	Mortality Total Infant Neonatal Postneonatal Unknown	81	2.9	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU		
Sexually Transmitted Disease Chlamydia Trachomatis 10,506	Race of Mother			Alcohol	298	15
Genital Herpes 1,241 Gonorrhea 4,808	Race of Mother White Black Other Unknown	110 106	5.2 18.3	Alcohol Other Drugs Both Mentioned	360 46	18 2
Syphilis 120	Unknown			MOTOR VEHICL	E CRASHES	
IMMUNIZATIONS	 Birthweight <1,500 gm 1.500-2.499 gm	Note: These data are based of the control of the co			n residenc	e. į
Children in Grades K-12 by Compliance Level	2,500+ gm Unknown	74 6	2.8	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons F Injured	Persons Killed
Compliant 360,050 Non-compliant 27,023 Percent Compliant 93.0	 Perinatal			Total Crashes Alcohol-Related With Citation:	24,019 1,965	66 186
	I Mortality	Deaths 298	Rate 10.5	For OWI	543 695	5 0
	Total Perinatal Neonatal Fetal	144 154	5.1 5.4	For Speeding Motorcyclist Bicyclist	757 488	5 j
	 			Pedestrian 	908	20

------ HOSPITALIZATIONS -------Per Average Charge | Per Average Charge | DISEASE / 1,000 Stay Average Per | DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita | AGE GROUP Number Pop (Days) Charge Capita Injury-Related: All Alcohol-Related Total 4,051 2.0 4.0 \$7,030 18-44 2,150 2.7 3.4 \$5,489 45-64 1,559 3.5 4.6 \$8,712 Total 18,519 9.2 5.0 \$17,617 \$161 \$14

 <18</td>
 1,839
 3.5
 3.5
 \$12,939

 18-44
 4,946
 6.2
 4.0
 \$16,315

 45-64
 4,275
 9.7
 4.9
 \$18,382

 65+
 7,459
 29.6
 6.1
 \$19,195

 \$45 \$15 \$102 \$31 Pneumonia and Influenza
Total 6,703 3.3 5.7 \$13,696
<18 641 1.2 3.2 \$8,028
45-64 1,275 2.9 5.6 \$14,639
65+ 3,996 15.9 6.3 \$14,596 \$178 \$45 \$568 Injury: Hip Fracture \$10 Ťotál 2,088 1.0 6.7 \$22,073 \$23 \$42 1.879 7.5 6.7 \$21.975 65+ \$164 \$231 Injury: Poisonings Total 1,743 0.9 2.3 \$7,594 Total 6,524 3.2 5.2 \$16,541 45-64 1,301 2.9 5.5 \$20,283 65+ 4,944 19.6 5.0 \$14,997 1,743 0.9 2.3 \$7,594 \$7 953 1.2 2.0 \$7,226 \$9 \$53 18-44 \$60 \$294 Chronic Obstructive Pulmonary Disease Psychiatric Total 15,396 7.6 9.1 \$8,948 <18 2,981 5.6 8.2 \$8,675 18-44 7,290 9.2 8.5 \$7,530 45-64 3,023 6.8 10.3 \$9,678 65+ 2,102 8.3 10.9 \$13,204 Total 5,816 2.9 4.0 \$9,290 <18 988 1.9 1.9 \$3,896 18-44 936 1.2 2.8 \$6,572 45-64 1,343 3.0 4.2 \$10,556 65+ 2,549 10.1 5.2 \$11,713 \$68 \$27 \$7 \$49 \$69 \$8 \$66 \$32 \$110 \$118 Drug-Related Total 1,425 0.7 5.4 \$6,227 18-44 973 1.2 4.6 \$5,460 Coronary Heart Disease \$4 Total 13,420 6.6 4.3 \$29,248 \$194 \$7 45-64 4,686 10.6 3.6 \$28,841 65+ 8,171 32.4 4.9 \$29,695 \$306 \$963 | Total Hospitalizations Total 256,117 126.6 4.6 \$12,897 \$1,633 <18 45,399 85.3 3.4 \$5,937 \$506 \$106 | 18-44 70,117 88.2 3.6 \$9,595 \$847 \$30 | 45-64 51,369 116.4 4.9 \$16,420 \$1,911 \$162 | 65+ 89,232 354.1 5.9 \$17,004 \$6,022 Malignant Neoplasms (Cancers): All Total 9,355 4.6 6.7 \$22,850 18-44 974 1.2 6.1 \$24,765 45-64 3,229 7.3 6.0 \$22,170 65+ 5,037 20.0 7.1 \$22,432 \$30 \$448 Neoplasms: Female Breast (rates for female population) | ----- PREVENTABLE HOSPITALIZATIONS* ------Total 31,987 15.8 4.7 \$11,649 \$184 <18 3,463 6.5 2.5 \$6,258 \$41 18-44 4,836 6.1 3.5 \$9,511 \$58 45-64 6,668 15.1 4.7 \$12,993 \$196 65+ 17,020 67.5 5.6 \$12,827 \$866 Total 880 0.8 2.3 \$12,719 \$11 Neoplasms: Colo-rectal Total 1,070 0.5 9.1 \$27,530 \$15 762 3.0 9.8 \$29,324 65+ \$89 Neoplasms: Lung Total 996 0.5 6.8 \$22,493 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. \$11 The definition of preventable hospitalizations in 2001 Diabetes Total 3,023 1.5 5.3 \$14,249 \$21 65+ 1,001 4.0 6.3 \$15,516 \$62 is consistent with the 1997 definition. \$62 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between i 1996 and 1997.